

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently Amended) A method comprising:
defining a set of attributes associated with at least one resource;
associating a set of constraints with the attributes, the constraints corresponding to a context and being defined by a resource template;
determining that a resource matches the set of attributes and constraints;
displaying the matching resource as a selectable resource graphical object on a user device; and
completing workflow of a process modeling tool by using the matching resource,
wherein the process modeling tool enables creation of new business workflow and collaborative workflow within an enterprise management system;
wherein the determining is performed in the an enterprise management system that comprises cross-functional applications to manage the at least one resource, the cross-functional applications comprising:
a user interface for linking objects of an object modeling tool with the workflow of the process modeling tool;
wherein the matching resource corresponds to an object.

2. (Previously Presented) The method of claim 1, wherein defining the set of attributes comprises:
receiving information that defines an object class of the at least one resource.

3. (Original) The method of claim 2, further comprising:

receiving information that defines an attribute associated with the object class.

4. (Original) The method of claim 2, wherein receiving information comprises:

receiving information from a user device with a graphical display having an active area for the input of the information.

5. (Previously Presented) The method of claim 1, further comprising:

displaying a selectable template graphical object on a graphical display device prior to determining that a resource matches, the template graphical object representing an active area associated with the defined resource.

6. (Original) The method of claim 1, wherein defining the set of attributes comprises:

determining the set of attributes based on a profile of a user's interactions with at least one of a user device and an application.

7. (Previously Presented) The method of claim 1, further comprising:

receiving a selection of the resource template; and

executing an application associated with the found resource.

8. (Original) The method of claim 7, wherein executing an application comprises executing the application within a guided procedure workflow.

9. (Previously Presented) The method of claim 1, wherein the resource comprises at least one of an executable application, a datum and a web-page.

10. (Currently Amended) An article comprising a machine-readable medium including machine-executable instructions operative to cause a machine to:

define a set of attributes associated with at least one resource;
associate a set of constraints with the attributes, the constraints corresponding to a context and being defined by a resource template;

determine that a resource matches the set of attributes and constraints; and
display the matching resource as a selectable resource graphical object on a user device; and

complete workflow of a process modeling tool by using the matching resource,
wherein the process modeling tool enables creation of new business workflow and collaborative workflow within an enterprise management system;

wherein the instructions to determine are performed in the an enterprise management system that comprises cross-functional applications to manage the at least one resource, the cross-functional applications comprising:

a user interface for linking objects of an object modeling tool with the workflow of the process modeling tool; and

wherein the matching resource corresponds to an object.

11. (Previously Presented) The article of claim 10, wherein instructions operative to cause a machine to define the set of attributes comprise instructions operative to cause a machine to:

receive information that defines an object class of the at least one resource.

12. (Previously Presented) The article of claim 11, further comprising instructions operative to cause a machine to:

receive information that defines an attribute associated with the object class.

13. (Previously Presented) The article of claim 11, wherein instructions operative to cause a machine to receive information comprise instructions operative to cause a machine to:

receive information from a user device with a graphical display having an active area for the input of the information.

14. (Previously Presented) The article of claim 10, further comprising instructions operative to cause a machine to:

display a selectable template graphical object on a graphical display device prior to determining that a resource matches, the template graphical object representing an active area associated with the defined resource.

15. (Previously Presented) The article of claim 10, wherein instructions operative to cause a machine to define the set of attributes comprise instructions operative to cause a machine to:

determine the set of attributes based on a profile of a user's interactions with at least one of a user device and an application.

16. (Previously Presented) The article of claim 10, further comprising instructions operative to cause a machine to:

receive a selection of the resource template; and
execute an application associated with the found resource.

17. (Previously Presented) The article of claim 16, wherein instructions operative to cause a machine to execute an application comprise instructions operative to cause a machine to execute the application within a guided workflow.

18. (Original) The article of claim 10, wherein the resource comprises at least one of an executable application, a datum and a web-page.

19 - 25. (Cancelled)